

## 6. REFERENCIAS BIBLIOGRÁFICAS

- **ABOD, S.A., WEBSTER, A.D.** (1991a). Shoot and root pruning effects on the growth and water relations of young *Malus*, *Tilia* and *Betula* stocks. *Journal of Horticultural Science*. 65 (4): 451-459.
- **ADAMS, S.R. and LANGTON, F.A.** (2005). Photoperiod and plant growth: a review. *Journal of Horticultural Science and Biotechnology*, 80; 2-10.
- **ARCAS, N., ROMERO, M.** (2000). El sector de la flor cortada de la Región de Murcia en el contexto nacional: claves para mejorar su competitividad. *Actas de las IV jornadas del Grupo Ornamentales de la S.E.C.H.* pp: 135-155.
- **ARNOTT, J.T., GROSSNICKLE, S.C., PUTTONEN, P., MITCHELL, A.K., FOLK, R.S.** (1993). Influence of nursery culture on growth, clod dardiness and drought resistance of yellow cypress. *Can. J. For. Res.*; 23: 2537-2547.
- **ATKINSON, D., CHAUHAN, J.S.** (1987). The effect of paclobutrazol on the water use of fruit plants at two temperatures. *Journal of Horticultural Science*. 62 (4): 421-426.
- **BAINBRIDGE, D., TISZLER, J., MACALLER, R., ALLEN, M.F.** (2001). Irrigation and mulch effects on desert shrub transplant establishment. *Native Plants Journal*, 2: 25, 29.
- **BAÑÓN, S., OCHOA, J., FERNÁNDEZ, J.A. and FRANCO, J.A.** (2001b). Paclobutrazol as aids for *Phillyrea angustifolia* nursery production. *HortScience*, 36, 449-500.

- BAÑÓN, S., OCHOA, J., FRANCO, J.A., ALARCÓN, J.J., FERNÁNDEZ, T. and SÁNCHEZ-BLANCO, M.J. (2002). The influence of acclimation treatments on the morphology, water relations and survival of *Myrtus communis* L. plants. In: Sustainable use and management of soils in arid and semiarid regions. (Faz, A., Ortiz, R. and Mermut, A.R., Eds.) Quaderna Editorial, Murcia, Spain. 275-7.
- BAÑÓN, S., OCHOA, J., MARTÍNEZ, J.A., FERNÁNDEZ, J.A., FRANCO, J.A., SÁNCHEZ-BLANCO, M.J., ALARCÓN, J.J. and MORALES, M.A. (2003b). Paclobutrazol as aid to reducing the effects of salt stress in *Rhamnus alaternus* seedlings. *Acta Horticulturae*, 609, 263-8.
- BAÑÓN, S., FERNÁNDEZ, J.A., FRANCO, J.A., TORRECILLAS, A., ALARCÓN, J.J. and SÁNCHEZ-BLANCO M.J. (2004). Effects of water stress and night temperatura preconditioning on water relations and morphological and anatomical changes of *Lotus creticus* plants. *Scientia Horticulturae* 101, 333-42.
- BAÑÓN, S., FERNÁNDEZ, OCHOA, J. and SÁNCHEZ-BLANCO M.J. (2005). Paclobutrazol as an aid to reduce some effects of salt stress in oleander seedlings. *European Journal of Horticultural Science*, 70.
- BENTON, J.M., COBB, A.H. (1997). Modification of phytosterol profiles and in vitro photosynthetic electron transport of *Galium aparine* L. (cleavers) treated with the fungicide epoxiconazole. *Plant Growth Regulation* 22: 93-100.
- BERGERON, O., LAMHAMEDI, M.S., MARGOLIS, H.A., BERNIER, P.Y., STOWE, D.C. (2004). Irrigation control and physiological responses of nursery-grown black spruce seedlings (1+0) cultivated in air-slit containers. *HortScience*, 39: 599-605.
- BIERNBAUM, J.A., VERSLUYS, N.B. (1998). Water management. *HortTechnology*, 8: 504-9.

- **BIEL, C., SAVÉ, R., HABROUK, A., ESPELTA, J.M., and RETANA, J.** (2004). Effects of restricted catering and CO<sub>2</sub> enrichment in the morphological and performance after transplanting of nursery-grown *Pinus nigra* seedlings. HortScience, 39; 599-605.
- **BILDERBACK, T.E.** (2002). Water management in reducing nutrient runoff container nurseries. HortTechnology, 12: 541-4.
- **BLOOMFIELD, J., VOGT, K. and WARGO, P.M.** (1996). Tree root turnover and senescence. In: Plants root: The hidden half. (Waisel, Y., Eshel, A. and Kafkafi, U., Eds.). Marcel Dekker, NY, USA. 363-81.
- **BRUNER, L., KEEVER, G.J., GILLIAM, C.H. and KESSLER, J.R.Jr.** (2000). Growth regulation of *Canna x generalis* "Florence Vaughan". Journal of Environmental Horticulture, 18, 171-4.
- **BRUNER, L., KEEVER, G.J., KESSLER, J.R.Jr. and GILLIAM, C.H.** (2001). Growth retardants application to *Canna x generalis* "Florence Vaughan". Journal of Environmental Horticulture, 19, 114-9.
- **BURDEN, R.S., CARTER, G.A., CLARK, T., COOKE, D.T., CROKER, S.J., DEAS, A., HEDDEN, P., JAMES, C.S., LENTON, J.R.** (1987). Comparative activity of the enantiomers of triadimenol and paclobutrazol as inhibitors of fungal growth and plant sterol and gibberellin biosynthesis. Pesticide Science, 21 (4): 253-267.
- **BURÉS, S.** (1993). Xerojardinería. Compendios de Horticultura. Ediciones de Horticultura. Reus.
- **BURÉS, S.** (2000). Avances en la xerojardinería.

- **CABALLERO, M., CID, M.C.** (1993). Development of new ornamentals from Canary Islands native plants as alternative crops for Mediterranean areas. En: Environmental constraints in protected cultivation for new growing techniques and crops. Ed. P.F. Martínez, pp: 163-168. Report EUR 15123.
- **CABOT, P., PASTOR, J.N., BARRAGÁN** (2000). Estudio sobre el interés en la introducción de nuevas especies autóctonas para su uso ornamental y paisajístico. Actas de Hort. 24: 155-158.
- **CAMPBELL, G.S.** (1977). An Introduction to Environmental Biophysics. Springer-Verlag, New York, Berlin, Heidelberg.
- **CARPIO, L.A., DAVIES, F.T.Jr. and ARNOLD, M.A.** (2003). Effect of commercial arbuscular mycorrhizal fungi on growth, survival, and subsequent landscape performance of selected container grown nursery crops. Journal of Environmental Horticulture, 21; 190-5.
- **CARPIO, L.A., DAVIES, F.T.Jr. and ARNOLD, M.A.** (2005). Arbuscular mycorrhizal fungi, organic and inorganic controlled-release fertilizers: Effect on growth and leachate of container-grown Bush Morning Glory (*Ipomoea carnea* ssp. *fistulosa*) under high production temperatures. Journal of the American Society for Horticultural Science, 130; 131-9.
- **CATHEY, H.M.** (1975). Comparative plant growth retarding activities of ancymidol with ACPC, phosphon, chlormequat, and SADH on ornamental plant species. HortScience; 10: 204-206.
- **CHARTZOULAKIS, K., PATAKAS, A., KOFIDID, G., BOSABALIDIS, A., NASTON, A.** (2002). Water stress effects leaf anatomy, gas exchange, water relations and growth of two avocado cultivars. Scientia Horticulturae; 95: 39-50.

- **CHIMONIDOU, D.** (2000). New cut flowers for flesh and dry production cultivated in Cyprus. Proceedings of the IV International Symposium on New Floricultural Crops. *Acta Horticulturae*; 51: 83-86.
- **CITERNESI, A.S., VITAGLIANO, C. and GIOVANNETTI, M.** (1998). Plant growth and root system morphology of *Olea europaea* L. rooted cutting as influenced by arbuscular mycorrhizas. *Journal of Horticultural Science and Biotechnology*, 73; 647-54.
- **CLOSE, D.C. and BEADLE, C.L.** (2004). Total, and chemical fractions, of nitrogen and phosphorus in *Eucalyptus seedlings* leaves: effects of species, nursery fertiliser management and transplanting. *Plant and Soil*, 259: 85-95.
- **CLOSE, D.C., BEADLE, C.L. and BATTAGLIA, M.** (2004). Foliar anthocyanin accumulation may be useful indicator of hardiness in eucalypt seedlings. *Forest Ecology and Management*, 198; 169-81.
- **CORTES, P., ESPELTA, J.M., SAVÉ, R. and BIEL, C.** (2004). Effects of a nursery CO<sub>2</sub> enriched atmosphere on the germination and seedling morphology of two Mediterranean oaks with contrasting leaf habit. *New forest*, 28; 79-88.
- **DALZIEL, J., LAWRENCE, D.K.** (1984). Biochemical and biological effects of kaurene oxidase inhibitors such as paclobutrazol. *British Plant Growth Regulator Group*, 11: 43-57.
- **DAVIS, T.D., STEFFENS, G.L., SANKHLA, N.** (1988). Triazole plant growth regulators. *Horticultural Reviews* 10: 63-105.
- **DE HERRALDE, F., BIEL, C., SAVÉ, R., MORALES, M.A., TORRECILLAS, A., ALARCÓN, J.J. and SÁNCHEZ-BLANCO, M.J.** (1998). Effect of water and SALT stresses on the growth, gas Exchange and water relations in *Argyranthemum coronopifolium* plants. *Plant Science*, 139; 9-17.

- **ESAU, K.** (1965). Plant Anatomy. Wiley, New York.
- **FERERES, E.** (1984). Variability in adaptive mechanisms to water deficits in annual and perennial crop plants. Ann. Bot. 1: 17-32.
- **FERNÁNDEZ, J.A., BALENZATEGUI, L., BAÑÓN, S., GONZÁLEZ, A. and NICOLA, S.** (2004). Paclobutrazol and water stress induce morphological adaptation in *Phyllirea angustifolia* during hardening. Acta Horticulturae, 659, 245-51.
- **FLETCHER, R.A., GILLEY, A., SANKHLA, N., DAVIS, T.D.** (2000). Triazoles as plant growth regulator and stress protestants. Horticultural Reviews 23: 55-138.
- **FLETCHER, R.A., HOFSTRA, G.** (1988). Triazoles as potential plant protectans. En: Sterol synthesis inhibitors in plant protections (Berg, D., Plempel, M.; Eds). Ellis Horwood Ltd., Cambridge, Reino Unido.
- **FLETCHER, R.A., HOFSTRA, G.** (1990). Improvement of uniconazole-induced protection in wheat seedlings. Journal of Plant Growth Regulation 9: 207-212.
- **FLETCHER, R.A., HOFSTRA, G., GAO, J.** (1986). Comparative fungitoxic and plant growth regulating properties of triazoles derivatives. Plant Cell Phisiology, 27: 367-371.
- **FRANCO, J.A., GONZÁLEZ, A., BAÑÓN, S. and FERNÁNDEZ, J.A.** (1999). Nursery irrigation effects on postplanting root development of two mediterranean species in semiarid conditions. HortScience, 34, 487.

- **FRANCO, J.A., BAÑÓN, S., FERNÁNDEZ, J.A. and LESKOVAR, D.I.** (2001). Effect of nursery regimes and establishment irrigation on root development of *Lotus creticus* seedlings following transplanting. Journal of Horticultural Science and Biotechnology, 76, 174-9.
- **FRANCO, J.A., LESKOVAR, D.I.** (2002). Root dynamics of muskmelon transplants as affected by nursery irrigation. Journal of the American Society for Horticultural Science, 127: 337-42.
- **FRANCO, J.A., CROS, V., BAÑÓN, S. and MARTÍNEZ SÁNCHEZ, J.J.** (2002b). Nursery irrigation regimes and establishment irrigation affect the postplanting growth of *Limonium cossonianum* in semiarid conditions. Israel Journal of Plant Science, 50, 25-32.
- **GILDEMEISTER, H.** (1997). Su Jardín Mediterráneo – Cómo crear un paraíso verde con poco agua. Editorial Moll.
- **GLOCKE, P., COLLINGS, G. and SEDGLEY, M.** (2005). *In vitro* organogenesis from seedlings explants of the ornamentals *Eucalyptus erythronema*, *E. stricklandii* and the interspecific hybrid *E. erythronema x E. stricklandii* cv. “Urrbrae Gem”. Journal of Horticultural Science and Biotechnology, 80: 97-104.
- **GOICOECHEA, N., MERINO, S. and SÁNCHEZ-DÍAZ, M.** (2004). Management of phosphorus and nitrogen fertilization to optimize *Anthyllis-Glomus-Rhizobium* symbiosis for revegetation of desertified semiarid areas. Journal of Plant Nutrition, 27; 1395-413.
- **GRAEBE, J.E.** (1987). Gibberellin biosynthesis and control. Annual Review Plant Physiology 38: 419-465.
- **GREENE, D.W.** (2002). Development of new plant growth regulators from an university perspective. HortTechnology 12: 71-74.

- **GROSSMAN, K.J.** (1992). Plant growth retardants: their mode of action and benefit for physiological research. Proceedings of the 14<sup>th</sup> International Conference on Plant Growth Substances, Amsterdam: 788-797.
- **GUTIÉRREZ, F.** (1999). Perspectivas de Futuro del sector de flores y plantas en España. *Plantflor* 2: 9-15.
- **JOHNSON, R.C., NGUYEN, H.T., GROY, L.T.** (1984). Osmotic adjustment and solute accumulation in two wheat genotypes differing in drought resistance. *Crop Sci.* 27: 957-962.
- **KINGSBURY, N.** (2004). Ornamental herbaceous vegetation for public places in maritime climates – potential and problems. *Acta Horticulturae*, 643, 39-49.
- **KOTZEN, B.** (2004). Plant use in desert climates – looking forward to sustainable planning in the Negev and other World desert. *Acta Horticulturae*, 643, 39-49.
- **KUNKEL, G.** (1998). Jardinería en zonas áridas, Almería, Ediciones Alternativas.
- **HALEVY, A.H.** (1995). The use of plant bioregulators in ornamental crops. *Acta Horticultural* 394: 37-43.
- **HARRIS, G.L., HODGKINSON, R.A., SCOTT, M., MASON, D.J., PEPPER, T.J.** (1997). Impact of hardy ornamental nursery stock (HONS) systems on the environment: losses of nutrients and agrochemicals. *Agricultural Water Management*, 34: 95-110.

- **HAUGHAN, A., LENTON, J.R., GOAD, L.J.** (1987). Pacllobutrazol inhibition of sterol biosynthesis in a cell suspension culture and evidence of an essential role for 24-ethylsterol in plant cell division. *Biochemical and Biophysical Research Communications*, 146 (2): 510-516.
- **HEISKANEN, J.** (2004). Effects of pre- and post- planting shading on growth of container Norway spruce seedlings. *New Forest*, 27; 101-14.
- **HORWARD, R.A.** (1969). The ecology of an elfin in Puerto Rico. I. Studies of stem growth and form of leaf structure. *J. Arnold Arbor*, 50: 225-267.
- **IGLESIAS, M.I., SAINZ, M.J., LÓPEZ MOSQUERA, M.E., VILARIÑO, A., PINTOS, C. and MANSILLA, J.P.** (2004). Mineral nutrition of *Taxus baccata* L. as affected by inoculation with arbuscular mycorrhizal fungi. *Acta Horticulturae*, 630; 225-9.
- **IZUMI, K., KAMIYA, Y., SAKURAI, A., OSHIO, H., TAKAHASHI, N.** (1985). Studies of the site of action of a new plant growth retardant (E)-1-(4-chlorophenyl-4,4-dimethyl-2-1,2,4-triazol-1-penten-3-ol) (SS-3307) and comparative effects of its stereoisomer in a cell-free system from *Cucurbita maxima*. *Plant Gell Physiology* 26: 821-827.
- **JUNG, J., RENTZEA, C., RADEMACHER, W.** (1986). Plant growth regulations with triazoles of the dioxanyl type. *Journal of Plant Growth Regulations* 4: 181-188.
- **KHALIL, A.A.M., GRACE, J.** (1992). Acclimation to drought in *Acer pseudoplatanus* L. (Sycamore) seedlings. *Journal of Experimental botany*; Vol. 42, No 257, pp. 1591-1602.
- **ILES, J.K.** (2003).The science and practice of stress reduction in managed landscapes. *Acta Horticulturae*, 618, 117-24.

- **ISMAIL, M.R., DAVIES, W.J., AWAD, M.H.** (2002). Leaf growth and stomatal sensitivity to ABA in droughted pepper plants. *Scientia Horticulturae*; 96: 313-327.
- **KNIPILNG, E.B. and KRAMER, P.J.** (1967). Comparison of the dye method with the thermocouple psychrometer for measuring leaf water potentials. *Plant Physiology* 42: 1315-1320.
- **KRAMER, P.J.** (1983). Water Relations of Plants. Academic Press, Santa Clara, California.
- **LESKOVAR, D.I.** (1998). Root and shoot root irrigation. *HortTechnology*, 8: 510-4.
- **LEVIT, J.** (1980). Adaptation of plants to water and high temperature stress: Summary and synthesis. 1. Stress terminology. En: (Turner y Kramer Eds.) *Adaptation of plants to water and high temperature stress*. 437-456. Hohn Wiley and Sons, USA, 1980.
- **LINDERMAN, R.G. and DAVIS, E.A.** (2003). Arbuscular mycorrhiza and growth responses of several ornamental plants grown in soilless peat-based medium amended with coconut dust (coir). *HortTechnology*, 13; 482-7.
- **LIPTAY, A., SIKKEMA, P., FONTENO, N.** (1998). Transplant growth control through water deficit stress: A review. *HortTechnology* 8 (4): 540-543.
- **LIPTAY, A., SIKKEMA, P., FONTENO, N.** (2000). Transplant Growth Control through water deficit stress-A review. *HortTechnology*.
- **LÓPEZ, S., MEDINA, F.** (1999). Jardines y plantas autóctonas en Murcia. IV Jornadas del Grupo de Ornamentales. *Actas de Horticultura, SECH*; 31: 113-122.

- **LÓPEZ LILLO, A.S.** (1993). “Elementos ornametales de la flora autóctona”, en Uso del agua en las áreas verdes urbanas, Madrid, Canal de Isabel II y Agencia de Medio Ambiente de la Comunidad de Madrid, 1993; pp. 21-65.
- **LUCKWILL, L.C.** (1981). Growth Regulators in Crop Production. Studies in Biology nº129. Southampton, England: The Camelot Press Ltd., 59 pp.
- **MAESTRE, F.T., BAUTISTA, S., CORTINA, J., DÍAZ, G., HONRUBIA, M. and VALLEJO, R.** (2002). Microsite and mycorrhizal inoculum effect on the establishment of *Quercus coccifera* in semi-arid degraded steppe. Ecological Engineering, 19; 289-95.
- **MARÍN, M., GARCÍA-FÉRRIZ, L., YBARRA, M., FÉ, A. and MARÍ, A.F.** (2003). Mycorrhizal inoculation of micropropagated *Nerium oleander* in nursery conditions. Agricultura Mediterranea, 133; 259-63.
- **MARTIN, C.A. and RUTER, J.M.** (1996). Growth and foliar nutrient concentrations of crape myrtle in response to disparate climate and fertilizer placement in large nursery containers. Journal of Environmental Horticulture, 14; 9-12.
- **MARTIN, T.P., HARRIS, J.R., EATON, G.K. and MILLER, O.K.** (2003). The efficacy of ectomycorrhizal colonization of pin and scarlet oak in nursery production. Journal of Environmental Horticulture, 21; 45-50.
- **MAUSETH, J.D.** (1988). Plant Anatomy. Benjamin/Lummings, Menlo Park, California.
- **MOLINA, H.A., PÉREZ, P.J., CUETO, R.M., PALLARÉS, N.A.** (1997). Utilización de flora autóctona con fines ornamentales. II Congreso Iberoamericano y III Congreso de Ciencias Hortícolas. Actas de Horticultura, 17: 142-146.

- **MUNNS, R.** (1988). Why measure osmotic adjustment. Australian Journal of Plant Physiology. 15: 717-726.
- **NAVARRO, A., CARREÑO, S., FRANCO, J.A., SÁNCHEZ-BLANCO, M.J., BAÑÓN, S.** (2004). Efecto de la dosis de paclobutrazol sobre el desarrollo y las relaciones hídricas en madroño. Actas da Associacao Portuguesa de Horticultura, 4, 161-6.
- **NAVEH, Z.** (1987). Landscape ecology, management and conservation of European and Levant Mediterranean uplands. En: Plant response to stress. Functional analysis in Mediterranean ecosystems. NATO ASI Series Ecological Sciences. Ed. J.D. Tenhunen, F.M. Catarino, O.L. Lange, W.C. Oechel; Vol. 15.
- **NILSEN, E.T., ORCUT, D.M.** (1996). The Phisiology of plants under stress- Abiotic factors. John Wiley and Sons, Inc.
- **O'LEARY, J.W.** (1970). Can there be a positive water potential in plants? BioScience 20: 858-859.
- **PALENZUELA, J., AZCÓN-AGUILAR, C., FIGUEROA, D., CARAVACA, F., ROLDÁN, A. and BAREA, J.M.** (2002). Effects of mycorrhizal inoculation of shrubs from Mediterranean ecosystems and composted residue application on transplant perfomance and mycorrhizal developments in a desertified soil. Biology and Fertility of Soils, 36; 170-5.
- **PEDREÑO, J.M.** (2000). Empleo de planta autóctona en jardines particulares. IV Jornadas del Grupo de Ornamentales. Actas de Horticultura; 31: 7-17.
- **QUORESHI, A.M.** (2003). Nutritional preconditioning and ectomycorrhizal formation of *Picea mariana* (Mill) B.P.S. seedlings. *Eurasian Journal of Forest Research*, 6; 1-63.

- **RADEMACHER, W.** (1989). Gibberellins: metabolic pathways and inhibitor of biosynthesis. En: Target sites of herbicide actions (Böger, P., Sandmann, G.; Eds). CRC Press, Boca Raton, Florida, USA.
- **RADEMACHER, W.** (1991). Inhibitors of gibberellinbiosynthesis: Applications in agriculture and horticulture. In Gibberelins (Ed. Takahashi, Phinney e MacMillan): 296-310. Springer Verlag New York, USA.
- **RADEMACHER, W.** (1991b). Biochemical effects of plant growth retardants. En: Plant Biochemical Regulators (Gaussman, H.W.; Ed.). Marcel Dekker, Nueva York, USA.
- **RADEMACHER, W.** (1997). Bioregulation of crop plant with inhibitors of gibberellins biosynthesis. Proceedings of Plant Growth Regulation Society American, 24: 27-31.
- **RADEMACHER, W., BUCCI, T.** (2002). New plant growth regulators: high risk investment? HortTechnology 12: 64-67.
- **RIKALA, R., HEISKANEN, J. and LAHTI, M.** (2004). Autum fertilization in the nursery affects growth of *Picea abies* container seedlings after transplanting. Scandinavian Journal of Forest Research, 19; 409-14.
- **RIVERA, D.** (1997). Posibilidades de uso ornamental de la flora autóctona. Curso de Jardinería y Paisajismo Autóctono. Universidad de Murcia.
- **RUTER, J.M.** (1994). Growth and landscape establishment of *Pyracantha* and *Juniperus* after application of paclobutrazol. HortScience, 29, 1318-20.
- **SÁNCHEZ-BLANCO, M.J., RODRÍGUEZ, P., MORALES, M.A., ORTUÑO, M.F. and TORRECILLAS, A.** (2002). Comparative growth and water relations of *Cistus albidus* and *Cistus monspeliensis* plants during water deficit conditions and recovery. PlantScience, 162, 107-13.

- **SÁNCHEZ-BLANCO, M.J., FERRÁNDEZ, T., MORALES, M.A., MORTE, A. and ALARCÓN, J.J.** (2004). Variation in water status, gas Exchange, and growth in *Rosmarinus officinalis* plants infected with *Glomus deserticola* under drought conditions. *Journal of Plant Physiology*, 161; 675-82.
- **SIEGEL, M.R.** (1981). Sterol-inhibiting fungicides: effects on sterol biosynthesis and sites and action. *Plant Disease*, 65: 986-989.
- **SLATYER, R.O.** (1967). *Plant-Water Relationships*. Academic Press, London, New York.
- **SLATYER, R.O. and TAYLOR, S.A.** (1960). Terminology in plant-soil-water relations. *Nature* 187: 922-924.
- **TAIZ, L., ZEIGER, E.** (1998). *Plant Physiology*. Sinauer Associates, Inc, Publishers; 2º ed.
- **TANG, P.S. and WANG, J.S.** (1941). A thermodynamic formulation of the water relations in an isolated living cell. *Journal Physical Chemistry*, 45: 433-453.
- **TAYLOR, S.A. and SLATYER, R.O.** (1961). Proposals for an unified terminology in studies of plant-soil-water relations. *Proceedings of a Madrid Symposium on Plant Water Relations, 1959*, UNESCO. Arid Zone Research Series XLV, UNESCO, París: 339-349.
- **TAYLOR, S.A. and SLATYER, R.O.** (1962). Proposals for a unified terminology in studies of plant-soil-water relations. *Arid Zone Res.* 16: 339-349.
- **TERRADAS, J., SAVÉ, R.** (1992). The influence of summer and winter stress and water relationships on the distribution of *Quercus ilex* L. *Vegetatio*, 99/100: 137-145.

- **TORRECILLAS, A., RODRÍGUEZ, P. and SÁNCHEZ-BLANCO, M.J.** (2003). Comparison of growth, leaf water relations and gas Exchange of *Cistus albidus* and *Cistus monspeliensis* plants irrigated with water of different NaCl salinity levels. *Scientia Horticulturae*, 97, 353-68.
- **TUTIN, T.G., HEYWOOD, V.H., BURGES, N.A., MOORE, D.M., VALENTINE, D.H., WALTERS, S.M. and WEBB, D.A.** Flora Europea, Cambridge University Press.
- **OSMOND, C.B., AUSTIN, M.P., BERRY, J.A., BILLINGS, W.D., BOYER, J.S., DACEY, J.W.H., NOBEL, P.S., SMITH, S.D., WINNER, W.E.** (1987). Stress physiology and the distributions of plants. *BioScience*. 37 (1): 38-48.
- **VAN DEN DRIESSCHE, R.** (1996). Drought resistance and water use efficiency of conifer seedlings treated with paclobutrazol. *New Forest*, 11, 65-83.
- **VICENTE, J. DE** (1999). “Programas de conservación y mantenimiento en parques públicos y privados, para el ahorro de agua”, en Eficiencia del agua en las ciudades. Encuentro internacional, Zaragoza, 20-22 de Enero de 1999.
- **VILAGROSA, A., CORTINA, J., GIL-PELEGREN, E.C.** (2003). Suitability of drought-preconditioning techniques in Mediterranean climate. *Restoration Ecology*, 11, 208-16.
- **WATSON, G.W.** (2001). Soil applied paclobutrazol affecs root growth, shoot growth, and water potential of American elm seedlings. *Journal of Environmental Horticulture*, 19, 119-22.
- **WHITCOMB, C.** (1986). Plant production in containers. Lacebark Publications, Stillwater, USA.

- **WILKINSON, H.P.** (1979). The plant surface (mainly leaf). Pages 97-117 in C.R. Metcalfe and L. Chalk (eds.), *Anatomy of the Dicotyledons*, Vol. 1. Clarendon Press, Oxford.
- **WOODWARD, F.I.** (1987). Stomatal numbers are sensitive to increases in CO<sub>2</sub> from pre-industrial levels. *Nature* 327: 617-618.